

=> d hist

(FILE 'HOME' ENTERED AT 10:14:06 ON 26 JUN 2001)

FILE 'REGISTRY' ENTERED AT 10:14:13 ON 26 JUN 2001

E META-TOLUYLENDIAMIN/CN

E TOLUENEDIAMINE/CN

L1


1 S E6

E METHYLBENZENEDIAMINE

E METHYLBENZENEDIAMINE/CN

E META-PHENYLENEDIAMINE, METHYL/CN

L3 ANSWER 4 OF 5 CAPLUS COPYRIGHT 2001 ACS
 AN 1979:616661 CAPLUS
 DN 91:216661
 TI The role of meta difunctional benzene derivatives in oxidative
hair dyeing. II. Reactions with p-aminophenols
 AU Brown, Keith C.; Corbett, John F.
 CS Clairol Res. Lab., Stamford, CT, 06902, USA
 SO J. Soc. Cosmet. Chem. (1979), 30(4), 191-211
 CODEN: JSCCA5; ISSN: 0037-9832
 DT Journal
 LA English
 CC 62-3 (Essential Oils and Cosmetics)
 Section cross-reference(s): 22, 25, 40
 GI



AB In oxidative dyeing, oxidn. of p-aminophenols to p-benzoquinone
 monoimines
 is the 1st step in color formation. The monoimines react as a free base
 at pH >8. Coupling of neutral monoimines with meta difunctional benzene
 couplers as the free bases or anions results in the formation of
 leucoindo
 dyes which undergo rapid oxidn. to highly colored indo dyes. Oxidn. of
 mixts. contg. both p-aminophenol (I) [123-30-8] and p-phenylenediamine
 [106-50-3] results in preferential oxidn. of I. In the absence of
 couplers, the resulting monoimine reacts with both unoxidized I and with
 p-phenylenediamine to give analogs (II, R = OH and CH₂) of Bandrowski's
 base. In the presence of couplers, these latter reactions are suppressed
 and reaction occurs preferentially with the coupler. The reactivity of
 couplers towards monoimines is in the order resorcinol [108-46-3] >
 4-amino-2-hydroxytoluene [2835-95-2] > 2,4-diaminoanisole [615-05-4] >
m-aminophenol [591-27-5]. Thus, inclusion of p-aminophenols in oxidn.
 dye formulations contributes significantly to the color produced on hair
 and the resultant dyes have comparable stability to those formed from
 p-phenylenediamine.

ST oxidn hair dye amino phenol; meta difunctional benzene hair dye
 IT Oxidation
 (of aminophenols, in hair dye prepn.)
 IT Kinetics of coupling reaction
 (of imines, with aminophenols, in hair dye prepn.)
 IT Kinetics of hydrolysis
 (of indophenol oxidative hair dyes)
 IT Ultraviolet and visible spectra
 (substituent effect on reactivity and, of aminophenols, in hair dye
 prepn.)
 IT Hair preparations
 (dyes, oxidative, aminophenols reactions with coupling agents in
 relation to)
 IT 95-80-7 106-50-3, reactions 108-45-2, reactions 615-05-4

- 823-40-5**
 RL: RCT (Reactant)
 (coupling reaction of, in oxidative hair dye formation)
- IT 2835-99-6
 RL: RCT (Reactant)
 (coupling reaction of, with aminophenolate, in oxidative hair dye formation)
- IT 95-88-5 496-73-1
 RL: RCT (Reactant)
 (coupling reaction of, with aminophenols)
- IT 6358-06-1 53222-92-7
 RL: RCT (Reactant)
 (coupling reaction of, with monoimines, and oxidative hair dye formation)
- IT 108-46-3, biological studies 591-27-5 2835-95-2
 RL: RCT (Reactant)
 (coupling reactions of, in hair dye formation)
- IT 72083-93-3 72083-94-4 72083-95-5 72083-96-6
 RL: PRP (Properties)
 (cyclization and hydrolytic kinetics of, hair dye formation in relation to)
- IT 24093-25-2P 71198-55-5P
 RL: PRP (Properties); PREP (Preparation)
 (formation and decompn. kinetics of, hair dye formation in relation to)
- IT 3009-34-5P
 RL: RCT (Reactant); PREP (Preparation)
 (formation and hydrolysis of)
- IT 106-51-4P, preparation
 RL: FORM (Formation, nonpreparative); PREP (Preparation)
 (formation of, by hydrolysis of benzoquinone imine)
- IT 71082-02-5P
 RL: FORM (Formation, nonpreparative); PREP (Preparation)
 (formation of, in hair dye preps.)
- IT 72083-92-2P
 RL: FORM (Formation, nonpreparative); PREP (Preparation)
 (formation of, in oxidative hair dye formation)
- IT 500-85-6P 2582-41-4P 2701-88-4P 24093-23-0P 24093-25-2P
 30127-99-2P 30128-00-8P 52200-93-8P 72083-78-4P 72083-79-5P
 72083-80-8P 72083-81-9P 72083-82-0P 72083-83-1P 72083-84-2P
 72083-85-3P 72083-86-4P 72083-87-5P 72083-88-6P 72083-89-7P
 72083-90-0P 72083-91-1P
 RL: FORM (Formation, nonpreparative); PREP (Preparation)
 (formation of, in oxidative hair dyeing)
- IT 31679-92-2P
 RL: PREP (Preparation)
 (prepn. of)
- IT 2835-96-3
 RL: RCT (Reactant)
 (reaction of, with chlororesorcinol)
- IT 95-87-4
 RL: RCT (Reactant)
 (reaction of, with methylbenzoquinone monoimine)
- IT 4370-76-7 30168-96-8 30168-97-9
 RL: RCT (Reactant)
 (reaction of, with phenolate)

IT 4370-75-6
RL: RCT (Reactant)
(reaction of, with xylenol)

IT 123-30-8
RL: RCT (Reactant)
(reactions of, in oxidative **hair dyeing**)